

FIG. 1






FIG. 2



3/9
FIG. 3



601150-400000

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

5/9

FIG. 5

200

REGISTER

FOLDER: PRINTING CONDITION USED FOR OUTPUT

COMMENT: ART PAPER CONDITION FOR COMPANY B

VERSION: B-1

TITLE: COMPATIBLE WITH ART PAPER COMPANY B

TITLE	COMMENT	ATTRIBUTE	DATE	VERSION
ART PAPER PRINTING	COMPANY F STANDARD PRINTING CONDITION	ORG/..	1.00
COMPATIBLE WITH ART PAPER COMPANY A	ART PAPER PRINTING CONDITION FOR COMPANY A	USR/..	
COMPATIBLE WITH ART PAPER COMPANY B	ART PAPER PRINTING CONDITION FOR COMPANY B	USR/..	B-1
COMPATIBLE WITH MAT PAPER	COMPANY F STANDARD PRINTING CONDITION	ORG/..	1.00
...../..	...
...../..	...

PRINTING CONDITION

USED FOR OUTPUT

UNUSED

9_10

OK

CANCEL

FIG. 7

21

INPUT				OUTPUT		
C	M	Y	K	R	G	B
0	0	0	0	R1	G1	B1
0	0	0	1	R2	G2	B2
0	0	0	2	R3	G3	B3
⋮	⋮	⋮	⋮	⋮	⋮	⋮
99	99	100	100	R98	R98	R98
99	100	100	100	R99	R99	R99
100	100	100	100	R100	R100	R100

FIG. 8

200'

REGISTER

FOLDER PRINTING CONDITION USED FOR OUTPUT

COMMENT COMPANY F STANDARD PRINTING CONDITION

VERSION 1.00

TITLE SLIGHTLY COATED PAPER PRINTING

TITLE	COMMENT	ATTRIBUTE	DATE	VERSION
ART PAPER PRINTING	COMPANY F STANDARD PRINTING CONDITION	ORG	../..../..	1.00
COMPATIBLE WITH ART PAPER COMPANY A	ART PAPER PRINTING CONDITION FOR COMPANY A	USR	../..../..	
COMPATIBLE WITH ART PAPER COMPANY B	ART PAPER PRINTING CONDITION FOR COMPANY B	USR	../..../..	B-1
COMPATIBLE WITH MAT PAPER	COMPANY F STANDARD PRINTING CONDITION	ORG	../..../..	1.00
SLIGHTLY COATED PAPER PRINTING	COMPANY F STANDARD PRINTING CONDITION	ORG	../..../..	1.00
...../..../..	...

PRINTING CONDITION

USED FOR OUTPUT

UNUSED

9_10

OK

CANCEL

FIG. 9

